

**TCB****GRANT OF EQUIPMENT  
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the  
Federal Communications Commission****By:****Telefication BV (Telefication)  
Edisonstraat 12a  
Zevenaar, NL-6902 PK  
Netherlands****Date of Grant: 06/24/2008****Application Dated: 06/24/2008****Compex Systems Pte Ltd  
135, Joo Seng Road, #08-01 PM Industrial Building  
Singapore, 368363  
Singapore****Attention: Yaw Thiam Teng , R&D Software Manager****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER: TK4-08-WLM54GP30****Name of Grantee: Compex Systems Pte Ltd****Equipment Class: Digital Transmission System****Notes: WIRELESS-G 30DBM NETWORK MINI PCI ADAPTER****Modular Type: Single Modular**

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15C	2412.0 - 2462.0	0.847		

Power output listed is conducted. The antenna used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. End-users and installers must be provided with specific operating instructions for satisfying RF exposure compliance.

Single Modular

**TCB**

**GRANT OF EQUIPMENT  
AUTHORIZATION**

**TCB**

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**Compliance Certification Services  
47173 Benicia Street  
Fremont, CA 94538**

**Date of Grant: 09/18/2008  
Application Dated: 09/17/2008**

**ALFA NETWORK Inc.  
4F-1, No. 106 Rueiguang Rd., Neihu District  
Taipei, 114  
Taiwan**

**Attention: Johnson Wang , Sales Manager**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER: UQ2AWPCI085A  
Name of Grantee: ALFA NETWORK Inc.  
Equipment Class: Digital Transmission System  
Notes: 802.11a High Power Mini PCI Adapter  
Modular Type: Limited Single Modular**

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15C	5745.0 - 5825.0	0.393		

Output power listed is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. End -users and installers must be provided with antenna installation and transmitter operating conditions for satisfying RF exposure compliance.

Limited Single Modular

**TCB****GRANT OF EQUIPMENT  
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the  
Federal Communications Commission****By:****PHOENIX TESTLAB GmbH  
Koenigswinkel 10  
D-32825 Blomberg,  
Germany****Date of Grant: 10/30/2007****Application Dated: 10/30/2007****Z Com Inc  
7F-2, No 9, Prosperity 1st Rd  
Science-Based Industrial Park  
Hsinchu, 300  
Taiwan****Attention: Ann Su , EMC Engineer****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER: M4Y-XA623AHV04****Name of Grantee: Z Com Inc****Equipment Class: Digital Transmission System****Notes: WIRELESS LAN MINI PCI CARD****Modular Type: Single Modular**

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	5745.0 - 5825.0	0.5483		

Power Output is Conducted. Modular Approval limited to devices where the antennas are located at least 20cm from all persons. Only those antennas documented in this filing and installed in the manner specified may be used with this device. This transmitter is restricted to indoor use only within the 5.15-5.25 GHz band. This grant is valid only when the device is sold to OEM integrators and the OEM integrators are instructed to ensure that the end user has no manual instructions to remove or install the device; all user installation is expressly prohibited. The antennas must not be co-located or operating in conjunction with any other antenna or transmitter. End-users and OEM integrators must be provided with operating instructions for satisfying RF exposure compliance requirements.

CC: This device is certified pursuant to two different Part 15 rules sections.

**TCB**

**GRANT OF EQUIPMENT  
AUTHORIZATION**

**TCB**

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**MET Laboratories, Inc.  
914 W. Patapsco Avenue  
Baltimore, MD 21230-3432**

**Date of Grant: 02/21/2006  
Application Dated: 02/21/2006**

**Ubiquiti Networks, Inc.  
1111 Weyburn Ln., #41  
San Jose, CA 95129**

**Attention: Robert Pera , Senior RF Engineer**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER: SWX-SR9  
Name of Grantee: Ubiquiti Networks, Inc.  
Equipment Class: Digital Transmission System  
Notes: 900 MHz wireless Mini-PCI card  
Modular Type: Single Modular**

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15C	912.0 - 917.0	0.7	10.0 PM	12M3D7D
	15C	912.0 - 917.0	0.7	10.0 PM	16M2D7D

Modular approval. Power output listed is conducted. This module may only be installed by the OEM or an OEM integrator. The antenna(s) used for this transmitter is 7dBi gain and must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.